WEAR VOLUME 175, NUMBERS 1–2, JUNE 1994

Contents

Editorial vii

Limitations on the use of ceramics in unlubricated sliding applications due to transfer layer formation 1
P. Andersson and K. Holmberg (Espoo, Finland)

Some background theory for the cushion bearing concept in joint replacement implants 9
J.B. Medley (Waterloo, Ont., Canada)

Film thinning factor for rollers of finite width under elastohydrodynamic conditions 17
H.P. Evans and R.W. Snidle (Cardiff, UK)

The effects of oxygen availability on the lubricating performance of a dimethyl silicone in the boundary regime 25
A.R. Lansdown (Swansea, UK)

Effects of surface roughness and type of oil on traction characteristics between steel rollers 39
A. Ishibashi and K. Sonoda (Saga, Japan)

Fretting wear of a high-strength heavily work-hardened eutectoid steel 51
R.B. Waterhouse, I.R. McColl, S.J. Harris and M. Tsujikawa (Nottingham, UK)

Interfacial friction of wetted monolayers 59
J.-M. Georges, A. Tonck and D. Mazuyer (Ecully, France)

The roles of hardness in the sliding behavior of materials 63
D.A. Rigney (Columbus, OH, USA)

Limitations of thin films in EHD contacts with dispersed phase systems as lubricants 71
K. Yosuida and T. Sakurai (Yokohama, Japan)

The steady state sliding of rough surfaces 81
A. Kapoor, J.A. Williams and K.L. Johnson (Cambridge, UK)

Application of the ultra-thin elastohydrodynamic oil film thickness technique to the study of automotive engine oils 93
D. Cooper and A.J. Moore (Sunbury-on-Thames, UK)

Mechanics of fretting fatigue 107
D.A. Hills (Oxford, UK)

The morphological attributes of wear particles – their role in identifying wear mechanisms 115
B.J. Roylance and S. Raadnui (Swansea, UK)

Evaluation of the plasticity index as a scuffing criterion 123
K.-B. Park and K.C. Ludema (Ann Arbor, MI, USA)

An investigation into the mechanisms of closed three-body abrasive wear 133
R.S. Dwyer-Joyce, R.S. Sayles and E. Ioannides (London, UK)

Control of friction coefficient by applying electric fields across liquid crystal boundary films 143
Y. Kimura, K. Nakano, T. Kato (Tokyo, Japan) and S. Morishita (Yokohama, Japan)

Control of friction 151
N.P. Suh, M. Mosleh and P.S. Howard (Cambridge, MA, USA)

Frictional characterisation of explanted Charnley hip prostheses 159
R.M. Hall, A. Unsworth (Durham, UK), B.M. Wroblewski (Wigan, UK) and I.C. Burgess (Durham, UK)

The effects of a subchondral bone perforation on the load support mechanism within articular cartilage 167
V.C. Mow, N.M. Bachrach and G.A. Ateshian (New York, NY, USA)

The lambda ratio – a critical re-examination 177
P. Cann (London, UK), E. Ioannides, B. Jacobson and A.A. Lubrecht (Nieuwegein, Netherlands)

Magnetic fluid grinding mechanics 189
T.H.C. Childs, D.A. Jones, S. Mahmood (Leeds, UK), B. Zhang, K. Kato and N. Umehara (Sendai, Japan)

Oxidational wear modelling: Part II. The general theory of oxidational wear 199
T.F.J. Quinn (Cumbria, UK)

Elsevier Science S.A.

Mechano–chemical model: reaction temperatures in a concentrated contact 209
S.M. Hsu, M.C. Shen (Gaithersburg, MD, USA), E.E. Klaus (University Park, PA, USA), H.S. Cheng (Evanston, IL, USA) and P.I. Lacey (Gaithersburg, MD, USA)

The effect of sliding velocity on the friction and wear of UHMWPE for use in total artificial joints 219
D. Dowson, H. Hamdzah, H.L. Lee and J. Fisher (Leeds, UK)

Notes on Contributors 227

Author Index of Volume 175 229

Subject Index of Volume 175 231

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.